



SAFETY DATA SHEET

Material Identity: CS-80 BLEND

Safety Data Sheet

CS 80 Blend B

Version 0.0

Revision Date: 06/02/2015

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : CS 80 Blend B
Product Use Description : Solvent.

Manufacturer or supplier's details

Company : Lanco Paints & Coatings
Address 600 Mid Florida Dr.
Orlando, FL 32824
United States of America

Emergency telephone number:

Transport North America: CHEMTREC 800.424.9300

Additional Information: : Responsible Party: Lanco Paints & Coatings
General Information: (407) 240-4000

Website: www.lancopaints.com

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Flammable liquids : Category 2
Skin irritation : Category 2
Eye irritation : Category 2A
Germ cell mutagenicity : Category 1B
Carcinogenicity : Category 1B
Reproductive toxicity : Category 2
Specific target organ toxicity - single exposure : Category 3 (Central nervous system)
Specific target organ toxicity - repeated exposure (Inhalation) : Category 2 (Auditory system, Eyes)
Aspiration hazard : Category 1

GHS Label element

Safety Data Sheet

CS 80 Blend B

Version 0.0

Revision Date: 06/02/2015

Hazard pictograms



Signal word

: Danger

Hazard statements

: H225 Highly flammable liquid and vapour.
H304 May be fatal if swallowed and enters airways.
H315+H319 Causes skin irritation and serious eye damage
H336 May cause drowsiness or dizziness.
H340+H350 May cause genetic defects or cancer
H361 Suspected of damaging fertility or the unborn child.
H373 May cause damage to organs through prolonged or repeated exposure.

Precautionary statements

: **Prevention:**
P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P233 Keep container tightly closed.
P240 Ground/bond container and receiving equipment.
P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment.
P242 Use only non-sparking tools.
P243 Take precautionary measures against static discharge.
P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.
P264 Wash skin thoroughly after handling.
P271 Use only outdoors or in a well-ventilated area.
P280 Wear protective gloves/ eye protection/ face protection.
P281 Use personal protective equipment as required.
Response:
P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/ physician.
P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.
P304 + P340 + P312 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/ physician if you feel unwell.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if



SAFETY DATA SHEET

Material Identity: CS-80 BLEND

Safety Data Sheet

CS 80 Blend B

Version 0.0

Revision Date: 06/02/2015

present and easy to do. Continue rinsing.
P308 + P313 IF exposed or concerned: Get medical advice/ attention.
P331 Do NOT induce vomiting.
P332 + P313 If skin irritation occurs: Get medical advice/ attention.
P337 + P313 If eye irritation persists: Get medical advice/ attention.
P362 Take off contaminated clothing and wash before reuse.
P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.
Storage:
P403 + P233 Store in a well-ventilated place. Keep container tightly closed.
P403 + P235 Store in a well-ventilated place. Keep cool.
P405 Store locked up.
Disposal:
P501 Dispose of contents/ container to an approved waste disposal plant.

Potential Health Effects

Carcinogenicity:

IARC

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

OSHA

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

NTP

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Emergency Overview

Appearance	liquid
Colour	Various
Hazard Summary	No information available.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS



SAFETY DATA SHEET

Material Identity: CS-80 BLEND

Safety Data Sheet

CS 80 Blend B

Version 0.0

Revision Date: 06/02/2015

Substance / Mixture : Mixture

Hazardous components

CAS-No.	Chemical Name	Concentration (%)
64742-49-0 / 64742-89-8 / 68410-97-9	Naphtha (pet), hydrotreated It AND/OR Solvent naphtha (pet), It aliph. AND/OR Distillates, pet, It dist hydrotreat process, low-boil	70 - 90
108-88-3	Toluene	20 - 30
123-86-4	n-Butyl acetate	1 - 5
142-82-5	**Heptane	0 - 30
110-82-7	**Cyclohexane	0 - 5

Special Notes: : ** Other substances in the product which may present a health or environmental hazard.

SECTION 4. FIRST AID MEASURES

- General advice : Move out of dangerous area.
Show this safety data sheet to the doctor in attendance.
Symptoms of poisoning may appear several hours later.
Do not leave the victim unattended.
- If inhaled : Consult a physician after significant exposure.
If unconscious place in recovery position and seek medical advice.
- In case of skin contact : If skin irritation persists, call a physician.
If on skin, rinse well with water.
If on clothes, remove clothes.
- In case of eye contact : Immediately flush eye(s) with plenty of water.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.
- If swallowed : Keep respiratory tract clear.
Do NOT induce vomiting.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
Take victim immediately to hospital.



SAFETY DATA SHEET

Material Identity: CS-80 BLEND

Safety Data Sheet

CS 80 Blend B

Version 0.0

Revision Date: 06/02/2015

SECTION 5. FIREFIGHTING MEASURES

- | | |
|---|--|
| Suitable extinguishing media | : Alcohol-resistant foam
Carbon dioxide (CO ₂)
Dry chemical |
| Unsuitable extinguishing media | : High volume water jet |
| Specific hazards during firefighting | : Do not allow run-off from fire fighting to enter drains or water courses. |
| Hazardous combustion products | : No hazardous combustion products are known |
| Specific extinguishing methods | : Use a water spray to cool fully closed containers. |
| Further information | : Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
For safety reasons in case of fire, cans should be stored separately in closed containments. |
| Special protective equipment for firefighters | : Wear self-contained breathing apparatus for fire-fighting if necessary. |

NFPA Flammable and Combustible Liquids Classification:
Flammable Liquid Class IB

SECTION 6. ACCIDENTAL RELEASE MEASURES

- | | |
|---|---|
| Personal precautions, protective equipment and emergency procedures | : Use personal protective equipment.
Ensure adequate ventilation.
Remove all sources of ignition.
Evacuate personnel to safe areas.
Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas. |
| Environmental precautions | : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities. |



SAFETY DATA SHEET

Material Identity: CS-80 BLEND

Safety Data Sheet

CS 80 Blend B

Version 0.0

Revision Date: 06/02/2015

Methods and materials for containment and cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

SECTION 7. HANDLING AND STORAGE

Advice on safe handling : Avoid formation of aerosol.
Do not breathe vapours/dust.
Avoid exposure - obtain special instructions before use.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Take precautionary measures against static discharges.
Provide sufficient air exchange and/or exhaust in work rooms.
Open drum carefully as content may be under pressure.
Dispose of rinse water in accordance with local and national regulations.

Conditions for safe storage : No smoking.
Keep container tightly closed in a dry and well-ventilated place.
Containers which are opened must be carefully re-sealed and kept upright to prevent leakage.
Observe label precautions.
Electrical installations / working materials must comply with the technological safety standards.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

CAS-No.	Components	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
108-88-3	Toluene	TWA	20 ppm	ACGIH
		TWA	100 ppm 375 mg/m ³	NIOSH REL
		ST	150 ppm 560 mg/m ³	NIOSH REL



SAFETY DATA SHEET

Material Identity: CS-80 BLEND

Safety Data Sheet

CS 80 Blend B

Version 0.0

Revision Date: 06/02/2015

		TWA	200 ppm	OSHA Z-2
		CEIL	300 ppm	OSHA Z-2
		Peak	500 ppm	OSHA Z-2
		TWA	100 ppm 375 mg/m3	OSHA P0
		STEL	150 ppm 560 mg/m3	OSHA P0
123-86-4	n-Butyl acetate	TWA	150 ppm	ACGIH
		STEL	200 ppm	ACGIH
		ST	200 ppm 950 mg/m3	NIOSH REL
		TWA	150 ppm 710 mg/m3	NIOSH REL
		TWA	150 ppm 710 mg/m3	OSHA Z-1
		TWA	150 ppm 710 mg/m3	OSHA P0
		STEL	200 ppm 950 mg/m3	OSHA P0
142-82-5	**Heptane	TWA	85 ppm 350 mg/m3	NIOSH REL
		C	440 ppm 1,800 mg/m3	NIOSH REL
		TWA	500 ppm 2,000 mg/m3	OSHA Z-1
		TWA	400 ppm 1,600 mg/m3	OSHA P0
		STEL	500 ppm 2,000 mg/m3	OSHA P0
		TWA	400 ppm	ACGIH
		STEL	500 ppm	ACGIH
110-82-7	**Cyclohexane	TWA	100 ppm	ACGIH
		TWA	300 ppm 1,050 mg/m3	NIOSH REL
		TWA	300 ppm 1,050 mg/m3	OSHA Z-1
		TWA	300 ppm 1,050 mg/m3	OSHA P0

Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sampling time	Permissible concentration	Basis
Toluene	108-88-3	Toluene	In blood	Prior to last shift of work-week	0.02 mg/l	ACGIH BEI
		Toluene	Urine	End of	0.03 mg/l	ACGIH

Safety Data Sheet

CS 80 Blend B

Version 0.0

Revision Date: 06/02/2015

				shift (As soon as possible after exposure ceases)		BEI
		o-Cresol	Urine	End of shift (As soon as possible after exposure ceases)	0.3 mg/g Creatinine	ACGIH BEI

Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally required.
In the case of vapour formation use a respirator with an approved filter.

Hand protection
Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water
Tightly fitting safety goggles
Wear face-shield and protective suit for abnormal processing problems.

Skin and body protection : impervious clothing
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hygiene measures : When using do not eat or drink.
When using do not smoke.
Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Colour : Various



SAFETY DATA SHEET

Material Identity: CS-80 BLEND

Safety Data Sheet

CS 80 Blend B

Version 0.0

Revision Date: 06/02/2015

Odour	: No data available
Odour Threshold	: No data available
pH	: No data available
Freezing Point	: No data available
Boiling Point	: No data available
Flash point	: -10 °C (14 °F)
Evaporation rate	: No data available
Flammability (solid, gas)	: No data available
Burning rate	: No data available
Upper explosion limit	: 8 %(V)
Lower explosion limit	: 1.27 %(V)
Vapour pressure	: No data available
Relative vapour density	: No data available
Relative density	: No data available
Density	: 0.754 g/cm ³ @ 20 °C (68 °F)
Bulk density	: No data available
Water solubility	: No data available
Solubility in other sol- vents	: No data available
Partition coefficient: n- octanol/water	: No data available
Auto-ignition temperature	: No data available
Thermal decomposition	: No data available

SECTION 10. STABILITY AND REACTIVITY



SAFETY DATA SHEET

Material Identity: CS-80 BLEND

Safety Data Sheet

CS 80 Blend B

Version 0.0

Revision Date: 06/02/2015

Reactivity	: No dangerous reaction known under conditions of normal use.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No hazards to be specially mentioned.
Conditions to avoid	: Keep away from heat, flame, sparks and other ignition sources.
Incompatible materials	: strong bases Strong oxidizing agents strong reducing agents

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product:

Acute oral toxicity : Acute toxicity estimate : > 5,000 mg/kg
Method: Calculation method

Components:

64742-49-0 / 64742-89-8 / 68410-97-9:

Acute oral toxicity : LD50 (rat, male and female): > 5,000 mg/kg
Method: OECD Test Guideline 401
GLP: yes

Acute inhalation toxicity : Assessment: The substance or mixture has no acute inhalation toxicity
Remarks: No data available

Acute dermal toxicity : LD50 (rabbit, male and female): > 2,000 mg/kg
Method: OECD Test Guideline 402
GLP: yes

108-88-3:

Acute oral toxicity : LD50 (rat, male): > 5,580 mg/kg

Acute inhalation toxicity : LC50 (rat, male and female): 28.1 mg/l
Exposure time: 4 h
Test atmosphere: vapour
Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (rabbit): > 5,000 mg/kg



SAFETY DATA SHEET

Material Identity: CS-80 BLEND

Safety Data Sheet

CS 80 Blend B

Version 0.0

Revision Date: 06/02/2015

123-86-4:

- Acute oral toxicity : LD50 (rat): > 5,000 mg/kg
Method: OECD Test Guideline 423
GLP: no
- Acute inhalation toxicity : LC50 (rat, male and female): > 21 mg/l
Exposure time: 4 h
Test atmosphere: vapour
Method: OECD Test Guideline 403
GLP: yes
- Acute dermal toxicity : LD50 (rabbit, male and female): > 5,000 mg/kg
Method: OECD Test Guideline 402
GLP: yes

Skin corrosion/irritation

Product:

Result: Irritating to skin.

Components:

64742-49-0 / 64742-89-8 / 68410-97-9:

Species: rabbit
Exposure time: 4 h
Result: Irritating to skin.

108-88-3:

Species: rabbit
Exposure time: 4 h
Result: Irritating to skin.

123-86-4:

Species: rabbit
Method: OECD Test Guideline 404
Result: No skin irritation
GLP: no

Serious eye damage/eye irritation

Product:

Result: Irritating to eyes.

Components:

64742-49-0 / 64742-89-8 / 68410-97-9:

Species: rabbit



SAFETY DATA SHEET

Material Identity: CS-80 BLEND

Safety Data Sheet

CS 80 Blend B

Version 0.0

Revision Date: 06/02/2015

Result: Irritating to eyes.

108-88-3:

Species: rabbit

Result: Irritating to eyes.

Method: OECD Test Guideline 405

123-86-4:

Species: rabbit

Result: No eye irritation

GLP: yes

Respiratory or skin sensitisation

Components:

64742-49-0 / 64742-89-8 / 68410-97-9:

Test Type: Buehler Test

Species: guinea pig

Result: Did not cause sensitisation on laboratory animals.

108-88-3:

Test Type: Maximisation Test (GPMT)

Species: guinea pig

Result: Did not cause sensitisation on laboratory animals.

GLP: yes

123-86-4:

Species: guinea pig

Result: Did not cause sensitisation on laboratory animals.

Germ cell mutagenicity

Components:

64742-49-0 / 64742-89-8 / 68410-97-9:

Germ cell mutagenicity- : Positive result(s) from in vivo heritable germ cell mu-
Assessment tagenicity tests in mammals

108-88-3:

Genotoxicity in vitro : Test Type: Mammalian cell gene mutation assay
Test species: Mouse lymphoma cells
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 476
Result: negative

Genotoxicity in vivo : Test Type: Dominant lethal assay
Test species: mouse (male)
Application Route: inhalation (vapour)
Exposure time: 6 h/d, 5 d/wk for 8 wks
Dose: 0, 100, 400 ppm



SAFETY DATA SHEET

Material Identity: CS-80 BLEND

Safety Data Sheet

CS 80 Blend B

Version 0.0

Revision Date: 06/02/2015

Method: OECD Test Guideline 478

Result: negative

Germ cell mutagenicity-Assessment : Tests on bacterial or mammalian cell cultures did not show mutagenic effects.

123-86-4:

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro
Test species: Chinese hamster lung fibroblasts
Metabolic activation: Without metabolic activation
Method: OECD Test Guideline 473
Result: negative
GLP: No data available

Genotoxicity in vivo : Test Type: In vivo micronucleus test
Test species: mouse (male and female)
Application Route: Oral
Dose: 500, 1000, 2000 mg/kg bw
Method: OECD Test Guideline 474
Result: negative
GLP: yes
Test substance: Information given is based on data obtained from similar substances.

Germ cell mutagenicity-Assessment : Tests on bacterial or mammalian cell cultures did not show mutagenic effects.

Carcinogenicity

Product:

Carcinogenicity - Assessment : Possible human carcinogen

Components:

64742-49-0 / 64742-89-8 / 68410-97-9:

Carcinogenicity - Assessment : Possible human carcinogen

108-88-3:

Species: rat, (male and female)
Application Route: inhalation (vapour)
Exposure time: 103 wks
Dose: 0, 600, 1200 ppm
Frequency of Treatment: 6.5 h/d, 5 d/wk
NOAEL: No observed adverse effect level: 1,200 ppm

Method: OECD Test Guideline 453
Result: did not display carcinogenic properties
Symptoms: Erosion of nasal epithelium



SAFETY DATA SHEET

Material Identity: CS-80 BLEND

Safety Data Sheet

CS 80 Blend B

Version 0.0

Revision Date: 06/02/2015

GLP: yes

Carcinogenicity - Assessment : Not classifiable as a human carcinogen.

123-86-4:

Remarks: This information is not available.

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

Reproductive toxicity

Components:

64742-49-0 / 64742-89-8 / 68410-97-9:

Reproductive toxicity - Assessment : Fertility classification not possible from current data.
Embryotoxicity classification not possible from current data.

108-88-3:

Effects on fertility : Test Type: Two-generation study
Species: rat, male and female
Application Route: Inhalation
Dose: 0, 100, 500, 2000 ppm
Frequency of Treatment: 7 days/week
General Toxicity - Parent: NOAEC: 500 ppm
General Toxicity F1: NOAEC: 500 ppm
Fertility: NOAEC: 2,000 ppm
Symptoms: Reduced maternal body weight gain. Reduced offspring weight gain.
Method: OECD Test Guideline 416
Result: Animal testing did not show any effects on fertility.
GLP: yes

Test Type: Fertility
Species: rat, male and female
Application Route: inhalation (vapour)
Dose: 0, 600, 1200 ppm
Frequency of Treatment: 7 days/week
General Toxicity - Parent: NOAEC: 600 ppm
Symptoms: Decreased sperm count
Result: Animal testing did not show any effects on fertility.

Effects on foetal development : Species: rat
Application Route: inhalation (vapour)
Dose: 0, 250, 750, 1500, 3000 ppm
Duration of Single Treatment: 10 d
Frequency of Treatment: 6 hr/day



SAFETY DATA SHEET

Material Identity: CS-80 BLEND

Safety Data Sheet

CS 80 Blend B

Version 0.0

Revision Date: 06/02/2015

General Toxicity Maternal: NOAEC: 750 ppm
Developmental Toxicity: NOAEC: 750 ppm
Symptoms: Maternal toxicity, Reduced body weight,
Skeletal malformations.
GLP: yes

Reproductive toxicity -
Assessment : Some evidence of adverse effects on sexual function
and fertility, and/or on development, based on animal
experiments.

123-86-4:

Effects on fertility : Species: rat, male and female
Application Route: Inhalation
Dose: 0, 750, 1500, 2000 ppm
Duration of Single Treatment: 6 h
Frequency of Treatment: 7 days/week
General Toxicity - Parent: NOAEC: 750 ppm
General Toxicity F1: NOAEC: 750 ppm
Fertility: NOAEC: 2,000 ppm
Early Embryonic Development: NOAEC: 750 ppm
Symptoms: Effect on reproduction capacity.
Method: OECD Test Guideline 416
GLP: yes

Effects on foetal devel-
opment : Species: rat, male and female
Application Route: vapour
Dose: 500, 1500, 3000 ppm
Duration of Single Treatment: 6 h
Frequency of Treatment: 5 days/week
GLP: yes

Reproductive toxicity -
Assessment : Fertility classification not possible from current data.
Embryotoxicity classification not possible from current
data.

STOT - single exposure

Product: No data available

Components:

64742-49-0 / 64742-89-8 / 68410-97-9:

Exposure routes:	Target Organs:	Assessment:	Remarks:
Inhalation	Central nervous system	May cause drowsi- ness or dizziness., The substance or mixture is classified as specific target organ toxicant, sin- gle exposure, cate- gory 3 with narcotic effects.	



SAFETY DATA SHEET

Material Identity: CS-80 BLEND

Safety Data Sheet

CS 80 Blend B

Version 0.0

Revision Date: 06/02/2015

--	--	--	--

108-88-3:

Exposure routes:	Target Organs:	Assessment:	Remarks:
Inhalation	Central nervous system	May cause drowsiness or dizziness., The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with narcotic effects.	

123-86-4:

Exposure routes:	Target Organs:	Assessment:	Remarks:
Inhalation	Central nervous system	May cause drowsiness or dizziness., The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with narcotic effects.	

142-82-5:No data available

110-82-7:No data available

STOT - repeated exposure

Product:No data available

Components:

64742-49-0 / 64742-89-8 / 68410-97-9:No data available

108-88-3:

Exposure routes:	Target Organs:	Assessment:	Remarks:
Inhalation	Auditory system, Eyes	May cause damage to organs through prolonged or repeated exposure., The substance or mixture is classified as specific target	



SAFETY DATA SHEET

Material Identity: CS-80 BLEND

Safety Data Sheet

CS 80 Blend B

Version 0.0

Revision Date: 06/02/2015

		organ toxicant, re-peated exposure, category 2.	
--	--	---	--

123-86-4:No data available

142-82-5:No data available

110-82-7:No data available

Repeated dose toxicity

Components:

108-88-3:

Species: rat, male and female

NOAEL: 300

Application Route: inhalation (vapour)

Exposure time: 6, 12, or 18 mths

Number of exposures: 6 h/d, 5 d/wk

Dose: 0, 30, 100, 300 ppm

Method: OECD Test Guideline 453

Repeated dose toxicity - : Causes skin irritation.
Assessment

123-86-4:

Species: rat, male and female

NOAEL: 500

Application Route: inhalation (vapour)

Exposure time: 13 wk

Number of exposures: 6 h/d, 5d/wk

Dose: 500, 1500, 3000 ppm

GLP: yes

Symptoms: oral or nasal discharge

Aspiration toxicity

Components:

64742-49-0 / 64742-89-8 / 68410-97-9:

May be fatal if swallowed and enters airways.

108-88-3:

Aspiration Toxicity - Category 1



SAFETY DATA SHEET

Material Identity: CS-80 BLEND

Safety Data Sheet

CS 80 Blend B

Version 0.0

Revision Date: 06/02/2015

Further information

Product:

Remarks: Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting., Concentrations substantially above the TLV value may cause narcotic effects., Solvents may degrease the skin.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

64742-49-0 / 64742-89-8 / 68410-97-9:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 8.2 mg/l
Exposure time: 96 h
Test Type: semi-static test

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 4.5 mg/l
Exposure time: 48 h
Analytical monitoring: yes

Toxicity to algae : EC50 (Pseudokirchneriella subcapitata (green algae)): 3.1 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

Ecotoxicology Assessment

Acute aquatic toxicity : Toxic to aquatic life.

Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

108-88-3:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 5.5 mg/l
Exposure time: 96 h
Test Type: flow-through test

Toxicity to daphnia and other aquatic invertebrates : EC50 (Ceriodaphnia dubia): 3.78 mg/l
Exposure time: 48 h
Test Type: Renewal

Toxicity to algae : EC50 (Chlorella vulgaris (Fresh water algae)): 134 mg/l
Exposure time: 3 h
Test Type: static test

Safety Data Sheet
CS 80 Blend B

Version 0.0

Revision Date: 06/02/2015

Toxicity to bacteria	: IC50 (Bacteria): 84 mg/l Exposure time: 24 h Test Type: Static
Ecotoxicology Assessment	
Acute aquatic toxicity	: Toxic to aquatic life.
Chronic aquatic toxicity	: Toxic to aquatic life with long lasting effects.
123-86-4:	
Toxicity to fish	: LC50 (Pimephales promelas (fathead minnow)): 18 mg/l Exposure time: 96 h Test Type: flow-through test Method: OECD Test Guideline 203 GLP: no
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 44 mg/l Exposure time: 48 h Test Type: static test
Toxicity to algae	: EC50 (Desmodesmus subspicatus (green algae)): 674.7 mg/l End point: Growth rate Exposure time: 72 h
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water flea)): 23 mg/l Exposure time: 21 d
Toxicity to bacteria	: EC 50 (Tetrahymena pyriformis (Ciliate)): 356 mg/l Exposure time: 40 h Test Type: Static
Ecotoxicology Assessment	
Acute aquatic toxicity	: Harmful to aquatic life.
Chronic aquatic toxicity	: Harmful to aquatic life with long lasting effects.

Persistence and degradability

Components:

64742-49-0 / 64742-89-8 / 68410-97-9:

Biodegradability	: aerobic Inoculum: activated sludge Concentration: 20 mg/l Biodegradation: 74.30 % Exposure time: 56 d
------------------	---



SAFETY DATA SHEET

Material Identity: CS-80 BLEND

Safety Data Sheet

CS 80 Blend B

Version 0.0

Revision Date: 06/02/2015

GLP: yes
Remarks: Inherently biodegradable.

108-88-3:

Biodegradability : Inoculum: Sewage
Biodegradation: 100 %
Remarks: Readily biodegradable

123-86-4:

Biodegradability : Biodegradation: 83 %
Exposure time: 28 d
Method: OECD Test Guideline 301D

Chemical Oxygen Demand (COD) : 0.00169 mg/g

BOD/COD : BOD/COD: 72 %

Theoretical Oxygen Demand (ThOD) : 0.0022 mg/g

Bioaccumulative potential

Components:

64742-49-0 / 64742-89-8 / 68410-97-9:

Partition coefficient: n-octanol/water : log Pow: 2.13 - 4.85 (25 °C)

108-88-3:

Partition coefficient: n-octanol/water : log Pow: 2.73

123-86-4:

Bioaccumulation : Species: Fish
Bioconcentration factor (BCF): 15

Partition coefficient: n-octanol/water : log Pow: 1.82

Mobility in soil

No data available

Other adverse effects

No data available

Product:

Regulation 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances



SAFETY DATA SHEET

Material Identity: CS-80 BLEND

Safety Data Sheet

CS 80 Blend B

Version 0.0

Revision Date: 06/02/2015

Remarks	This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).
Additional ecological information	: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal., Toxic to aquatic life with long lasting effects.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues	: Dispose of in accordance with all applicable local, state and federal regulations. For assistance with your waste management needs - including disposal, recycling and waste stream reduction, contact NEXEO's Environmental Services Group at 800-637-7922.
Contaminated packaging	: Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum.

SECTION 14. TRANSPORT INFORMATION

IATA (International Air Transport Association): UN1263, PAINT RELATED MATERIAL, 3, II, Flash Point:-10 °C(14 °F)

IMDG (International Maritime Dangerous Goods): UN1263, PAINT RELATED MATERIAL, 3, II, Marine Pollutant (NAPHTHA (PETROLEUM), HYDROTREATED LIGHT, TOLUENE)

DOT (Department of Transportation): UN1263, PAINT RELATED MATERIAL, 3, II

SECTION 15. REGULATORY INFORMATION

OSHA Hazards	: Flammable liquid, Carcinogen, Moderate skin irritant, Moderate eye irritant, Teratogen, Reproductive hazard, Mutagen, Aspiration hazard
WHMIS Classification	: B2: Flammable liquid D2A: Very Toxic Material Causing Other Toxic Effects



SAFETY DATA SHEET

Material Identity: CS-80 BLEND

Safety Data Sheet

CS 80 Blend B

Version 0.0

Revision Date: 06/02/2015

D2B: Toxic Material Causing Other Toxic Effects

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
Toluene	108-88-3	1000	4319

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards

: Fire Hazard
Chronic Health Hazard
Acute Health Hazard

SARA 302

: SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313

: The following components are subject to reporting levels established by SARA Title III, Section 313:

108-88-3	Toluene	23.1536 %
110-82-7	**Cyclohexane	1.1187 %

Clean Air Act

The following chemical(s) are listed as HAP under the U.S. Clean Air Act, Section 12 (40 CFR 61):

108-88-3	Toluene	23.1536 %
71-43-2	Benzene	0.0975 %
100-41-4	Ethylbenzene	0.023 %
110-54-3	**n-Hexane	0.0149 %
98-82-8	Cumene	0.0001 %

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCM I Intermediate or Final VOC's (40 CFR 60.489):

108-88-3	Toluene	23.1536 %
123-86-4	n-Butyl acetate	2.3389 %
110-82-7	**Cyclohexane	1.1187 %
71-43-2	Benzene	0.0975 %
100-41-4	Ethylbenzene	0.023 %
98-82-8	Cumene	0.0001 %

Clean Water Act

The following Hazardous Substances are listed under the U.S. CleanWater Act, Section 311, Table 116.4A:



SAFETY DATA SHEET

Material Identity: CS-80 BLEND

Safety Data Sheet

CS 80 Blend B

Version 0.0

Revision Date: 06/02/2015

108-88-3	Toluene	23.1536 %
123-86-4	n-Butyl acetate	2.3389 %
110-82-7	**Cyclohexane	1.1187 %
71-43-2	Benzene	0.0975 %
100-41-4	Ethylbenzene	0.023 %

The following Hazardous Chemicals are listed under the U.S. Clean Water Act, Section 311, Table 117.3:

108-88-3	Toluene	23.1536 %
123-86-4	n-Butyl acetate	2.3389 %
110-82-7	**Cyclohexane	1.1187 %
71-43-2	Benzene	0.0975 %
100-41-4	Ethylbenzene	0.023 %

This product contains the following toxic pollutants listed under the U.S. Clean Water Act Section 307

108-88-3	Toluene	23.1536 %
----------	---------	-----------

US State Regulations

Massachusetts Right To Know

108-88-3	Toluene	20 - 30 %
123-86-4	n-Butyl acetate	1 - 5 %
71-43-2	Benzene	0 - 0.1 %
142-82-5	**Heptane	0 - 30 %
110-82-7	**Cyclohexane	0 - 5 %

Pennsylvania Right To Know

64742-49-0 /	Naphtha (pet), hydrotreated It	70 - 90 %
64742-89-8 /	AND/OR Solvent naphtha (pet), It	
68410-97-9	aliph. AND/OR Distillates, pet, It dist hydrotreat process, low-boil	
108-88-3	Toluene	20 - 30 %
123-86-4	n-Butyl acetate	1 - 5 %
71-43-2	Benzene	0 - 0.1 %
100-41-4	Ethylbenzene	0 - 0.1 %
142-82-5	**Heptane	0 - 30 %
110-82-7	**Cyclohexane	0 - 5 %

New Jersey Right To Know

64742-49-0 /	Naphtha (pet), hydrotreated It	70 - 90 %
64742-89-8 /	AND/OR Solvent naphtha (pet), It	
68410-97-9	aliph. AND/OR Distillates, pet, It dist hydrotreat process, low-boil	
108-88-3	Toluene	20 - 30 %
123-86-4	n-Butyl acetate	1 - 5 %
142-82-5	**Heptane	0 - 30 %
110-82-7	**Cyclohexane	0 - 5 %

California Prop 65

WARNING! This product contains a chemical known to the State of California to cause cancer.



SAFETY DATA SHEET

Material Identity: CS-80 BLEND

Safety Data Sheet

CS 80 Blend B

Version 0.0

Revision Date: 06/02/2015

71-43-2	Benzene
100-41-4	Ethylbenzene
98-82-8	Cumene
	WARNING: This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.
108-88-3	Toluene
71-43-2	Benzene

The components of this product are reported in the following inventories:

United States TSCA Inventory	:	y (positive listing) (On TSCA Inventory)
Canadian Domestic Substances List (DSL)	:	y (positive listing) (All components of this product are on the Canadian DSL.)
Australia Inventory of Chemical Substances (AICS)	:	y (positive listing) (On the inventory, or in compliance with the inventory)
New Zealand. Inventory of Chemical Substances	:	y (positive listing) (On the inventory, or in compliance with the inventory)
Japan. ENCS - Existing and New Chemical Substances Inventory	:	n (Negative listing) (Not in compliance with the inventory)
Korea. Korean Existing Chemicals Inventory (KECI)	:	y (positive listing) (On the inventory, or in compliance with the inventory)
Philippines Inventory of Chemicals and Chemical Substances (PICCS)	:	y (positive listing) (On the inventory, or in compliance with the inventory)
China. Inventory of Existing Chemical Substances in China (IECSC)	:	y (positive listing) (On the inventory, or in compliance with the inventory)



SAFETY DATA SHEET

Material Identity: CS-80 BLEND

Safety Data Sheet

CS 80 Blend B


Version 0.0

Revision Date: 06/02/2015

SECTION 16. OTHER INFORMATION

Further information

NFPA:



HMIS III:

HEALTH	2*
FLAMMABILITY	3
PHYSICAL HAZARD	0

0 = not significant, 1 =Slight,
2 = Moderate, 3 = High
4 =Extreme, * = Chronic

The information accumulated is based on the data of which we are aware and is believed to be correct as of the date hereof. Since this information may be applied under conditions beyond our control and with which we may be unfamiliar and since data made become available subsequently to the date hereof, we do not assume any responsibility for the results of its use. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This MSDS has been prepared by NEXEO™ Solutions EHS Product Safety Department (1-855-429-2661) MSDS@nexeosolutions.com.

Legacy MSDS: R0371213

Material number:
734299, 554198, 543124, 53415

Key or legend to abbreviations and acronyms used in the safety data sheet			
ACGIH	American Conference of Government Industrial Hygienists	LD50	Lethal Dose 50%
AICS	Australia, Inventory of Chemical Substances	LOAEL	Lowest Observed Adverse Effect Level
DSL	Canada, Domestic Substances List	NFPA	National Fire Protection Agency
NDSL	Canada, Non-Domestic Substances List	NIOSH	National Institute for Occupational Safety & Health
CNS	Central Nervous System	NTP	National Toxicology Program
CAS	Chemical Abstract Service	NZIoC	New Zealand Inventory of Chemicals
EC50	Effective Concentration	NOAEL	No Observable Adverse Effect Level
EC50	Effective Concentration 50%	NOEC	No Observed Effect Concentration
EGEST	EOSCA Generic Exposure Scenario Tool	OSHA	Occupational Safety & Health Administration
EOSCA	European Oilfield Specialty	PEL	Permissible Exposure Limit



SAFETY DATA SHEET

Material Identity: CS-80 BLEND

Safety Data Sheet

CS 80 Blend B

Version 0.0

Revision Date: 06/02/2015

	Chemicals Association		
EINECS	European Inventory of Existing Chemical Substances	PICCS	Philippines Inventory of Commercial Chemical Substances
MAK	Germany Maximum Concentration Values	PRNT	Presumed Not Toxic
GHS	Globally Harmonized System	RCRA	Resource Conservation Recovery Act
>=	Greater Than or Equal To	STEL	Short-term Exposure Limit
IC50	Inhibition Concentration 50%	SARA	Superfund Amendments and Reauthorization Act.
IARC	International Agency for Research on Cancer	TLV	Threshold Limit Value
IECSC	Inventory of Existing Chemical Substances in China	TWA	Time Weighted Average
ENCS	Japan, Inventory of Existing and New Chemical Substances	TSCA	Toxic Substance Control Act
KECI	Korea, Existing Chemical Inventory	UVCB	Unknown or Variable Composition, Complex Reaction Products, and Biological Materials
<=	Less Than or Equal To	WHMIS	Workplace Hazardous Materials Information System
LC50			Lethal Concentration 50%